

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/696,890	10/29/2003	Mark M. Clark	10322-63	9267
43320	7590 12/21/2005	EXAMINER		INER
EVAN LAW GROUP LLC			HRUSKOCI, PETER A	
566 WEST ADAMS, SUITE 350 CHICAGO, IL 60661			ART UNIT	PAPER NUMBER
000.,			1724	
			DATE MAILED: 12/21/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

y

	Application No.	Applicant(s)				
	10/696,890	CLARK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Peter A. Hruskoci	1724				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 29 Oc	ctober 2003 and 03 November 20	205				
<u> </u>	action is non-final.	 .				
· <u> </u>	, 					
, —	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Ex parte Quayre, 1935 C.D. 11, 455 C.G. 215.						
Disposition of Claims						
4)⊠ Claim(s) <u>19-26 and 30-40</u> is/are pending in the)⊠ Claim(s) <u>19-26 and 30-40</u> is/are pending in the application.					
4a) Of the above claim(s) 19-26 and 37-40 is/ar	4a) Of the above claim(s) <u>19-26 and 37-40</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>30-36</u> is/are rejected.	· <u> </u>					
7) Claim(s) is/are objected to.						
	tion and/or election requirement					
8)⊠ Claim(s) <u>19-26 and 30-40</u> are subject to restriction and/or election requirement.						
Application Papers						
9)⊠ The specification is objected to by the Examiner	•					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
		, 10.10.1 0. 10.11.1 1 0 7.02.1				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
	1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Calerences Cited (P10-692) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) Notice of Informal Pa	atent Application (PTO-152)				
Paper No(s)/Mail Date 6) Other:						

Restriction to one of the following inventions is required under 35 U.S.C. 121:

I. Claims 19-26 and 37-40, drawn to a method, classified in class 210, subclass 638.

II. Claims 30-36, drawn to a device, classified in class 210, subclass 198.1.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the device as claimed can be used to practice another materially different method such as a gas separation method.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification and recognized divergent subject matter, restriction for examination purposes as indicated is proper.

During a telephone conversation with Jonathan M. Blanchard on 12/1/05 a provisional election was made without traverse to prosecute the invention of Group II, claims 30-36.

Affirmation of this election must be made by applicant in replying to this Office action. Claims 19-26 and 37-40 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

shown or the features canceled from the claims. No new matter should be entered.

Page 3

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The device recited in claims 30-36 appears to have basis in the original claims of the parent application, but lacks clear antecedent basis in the instant specification.

Claims 30-36 are rejected under 35 U.S.C. 112, first paragraph, as based on a disclosure, which is not enabling. It is submitted that specific structure of a device including inlets and

Application/Control Number: 10/696,890 Page 4

Art Unit: 1724

outlets, and means for contacting the colloid with the water are critical or essential to the practice of the invention, but not included in the claims and not enabled by the disclosure. See *In re Mayhew*, 527 F.2d 1229, 188 USPQ 356 (CCPA 1976).

Claims 30-36 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claims 30, 34, and 35 are considered incomplete because it is essential that the device include specific inlets and outlets for the colloid and water, and means for contacting the water with the colloid, activated carbon, and resins, respectively. Claims 31-33, 36, and 37 depend from the above claims.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 30, 32, 33, and 36 are rejected under 35 U.S.C. 102(e) as being anticipated by Kalthod 6,688,477. It is submitted that Kalthod disclose (see col. 4 line 40 through col. 7 line 9) the structure of the device recited in the instant claims.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/696,890 Page 5

Art Unit: 1724

Claims 34 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kalthod as above, and further in view of Wilkinson et al. 5,149,437. The claims differ from Kalthod as above by reciting that the device further comprises activated carbon or chemical absorption resins. Wilkinson et al. disclose (see col. 3 line 3 through col. 5 line 4) that it is known in the art to utilize activated carbon and ion exchange resins, to aid in removing contaminants from water. It would have been obvious to one skilled in the art to modify the device of Kalthod by including the recited activated carbon and resins in view of the teachings of Wilkinson et al., to aid in removing contaminants from water.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter A. Hruskoci whose telephone number is (571) 272-1160. The examiner can normally be reached on Monday through Friday from 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/696,890 Page 6

Art Unit: 1724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Peter A. Hruskoci Primary Examiner Art Unit 1724

12/9/05